

SWE 632 - Design & Development of User Interfaces

Spring 2021



George Mason
University

Dr. Kevin Moran

Week 4: User-Centered Design





Administrivia

- *Tech Talks*: Schedule has been posted to the course website!
- *Project Checkpoint 1*: Feedback sent out - feel free to stop by office hours with any questions
- *Project Checkpoint 2*: Due Next Week
- *Discussion Question 3*: Posted After Class



Project Checkpoint 2

- Implement as much functionality as you can by this checkpoint.
- The remainder of the project checkpoints will involve two activities:
 - *Peer Design Evaluations*
 - *Design Iterations*

Class Overview





Class Overview

- Part 1 - User-Centered Design: How do we design for the user?
- Part 2 - Some User-Centered Design Considerations: Take Note
- Part 3 - Example: User Centered Design in Research
- Part 4 - Selenium Tach Talk: Garrett, Dylan, and Bryan



What We Learned & Looking Ahead

- Examined human cognition
- Have 2 ways to identify usability issues (Heuristics & Principles)
- But... is HCI just identifying usability issues?
- What does *design* mean?
- How do we learn about user *needs*?
- How do we build designs?
- How do we evaluate designs?

Overview of User-Centered Design





In Class Discussion

- *Today's question:*
 - What does user-centered design mean to you?



User-centered design



User-centered design

Who are the users?

What are the user's needs?

What are the user's tasks and goals?



How does the product fit into the broader context of their lives?

What problems may users encounter w/ current ways of doing things?

What extreme cases may exist?

Technology-Centered Design

What can this
technology
do?




How might
users use it?

What features
does it have?

Double Diamond Model of Design

- Question problem, expand scope, discover fundamental issues
- Converge on problem
- Expand possible solutions
- Converge on solution



Iterative Model of Design

Observation

(Re)Define the Problem
Understand User Needs

Idea Generation

Brainstorm
what to build



Test

Evaluate what
you have built

Prototype

Build



Iteration, Iteration, Iteration

- Repeated study and testing
- Use tests to determine what is working or not working
- Determine what the problem might be, redefining the problem
- Collect more data
- Generate new alternatives

Observation





Needfinding (a.k.a. design research)

- Goal: understand user's needs
- Use of methods to gather qualitative data
 - behaviors, attitudes, aptitudes of potential and existing users
 - technical, business, and environmental contexts - domain
 - vocabulary and social aspects of domain
 - how existing products used
- Empowers team w/ credibility and authority, helping inform decisions



Needfinding vs. market research

Needfinding

- What users really need
- How they will really use product
- Qualitative methods to study in depth
- Small numbers of participants

Market research

- Who might purchase item
- What factors influence purchasing
- Quantitative studies w/ focus groups, surveys
- Large numbers of participants



Example

- Cooper conducted a user study for entry-level video editing product
- Company built professional software, looking to move into consumer software
 - Help connect those w/ computers and video cameras
- Found strongest desire for video editing was parents
- Found 1/12 had successfully connected camera, using work IT guy



Solving the correct problem

- Practices may sometimes mask deeper problems
- **Goal:** uncover layers of practices to understand how problems emerge



Interviews

- May include both current users and potential users w/ related needs
- Questions
 - context of how product fits into lives or work
 - when, why, how is or will product be used
 - what do users need to know to do jobs?
 - current tasks and activities, including those not currently supported
 - goals and motivations of using product
 - problems and frustrations with current products or systems



Observations

- Most incapable of accurately assessing own behaviors
- May avoid talking about problems to avoid feeling dumb
- Observing yields more accurate data
- Capture behaviors: notes, pictures, video (if possible)



Contextual inquiry

- Method that includes both interviews and observations
- Next week's lecture

Idea Generation





Ideation

- Process of generating, developing, communicating new **ideas**
- Guidelines and best practices
 - Generate numerous ideas
 - Number ideas
 - Avoid premature dismissal of ideas
 - Sharpen the **focus** - pose the right problem
 - Build and jump - build to keep momentum on ideas, jump when theme tapers out

Prototyping





Prototyping - Building Quickly

- Build quick prototype or mock-up of each potential solution
- “Wizard of Oz” Studies
- Mainly performed to ensure the problem is well understood

Testing





Testing - User Centered Evaluation

- Test with population similar to target population
- Have them use prototypes as close as possible to intended
- If possible, have two people use a prototype, one guiding the other's use.
- More on this in a future lecture...


User-Centered Design Considerations





Fail Fast

- “*Fail frequently, fail fast*” David Kelley, founder of Ideo
- Failure is **learning** experience
- Crucial to understand correct **problem** to solve & ensure solution is appropriate
- Abstract requirements are invariably wrong
- Requirements produced by asking people what they want are wrong



Conceptual model
 Users form "mental models" about how a system works. A well-designed system portrays a strong conceptual model that helps users form an accurate mental model and matches the way users think about their work. The conceptual model is the over-arching "theme" of the design. Scenarios, metaphors, and the navigation model all contribute to a high-level design that demonstrates the conceptual model.

Navigation model
 The navigation model is the big picture, or "bird's eye view" of the system. It considers where users start, how they get from here to there, and what all of the major elements will be (such as screens.) A flow diagram of the system elements can represent a navigation model.

User Scenarios
 are stories about how real people do their work. They often contain specific people's names and data about how a task is done. Scenarios aid the design team in focusing on real-world people and tasks and can be used in a walkthrough to evaluate design options.

Walkthrough
 In a walkthrough, the design team and users meet to step through a design concept and evaluate how well it works with actual tasks. Various walkthrough techniques can be used to evaluate early concepts and designs.

Task analysis
 helps the team understand what can be done with the system. It can include task frequency, importance, and which user groups will do the task. Task analysis can also incorporate a workflow diagram, which is a good way to show the process behind how users does their work.


User profiles
 document the various categories of users and their characteristics. They help a team get a handle on who will be using the system in what ways. User profiles can include information such as demographics, technology experience, subject matter expertise, attitudes and motivations, and frequency of use. Creating posters for different user profiles is a fun and compelling way to make users real for the design team.

The Usability Life Cycle
 Any project, even a small project, benefits from incorporating usability early on. During the Analysis phase, set goals and determine who will use the product for what purpose. The Design phase is iterative. That is, the design team continuously evaluates whether the design works for users. Ongoing emphasis on usability throughout the Implementation and Deployment phases helps maintain a user-centered focus during last-minute changes and when planning for the next version. As you plan the project, determine what usability steps will best meet your user and business needs—the darker the square, the more important the step.

Multidisciplinary team
 The design team should include expertise in usability, human factors, marketing, graphic design, technology, engineering, quality assurance, and performance support. Collaborating with each discipline during the analysis, design, and implementation phases will ensure the design meets usability needs; accommodates the technology being used; portrays the interface in a way that will not jeopardize branding; and reflects the intended functionality.

Acknowledgements:
 Meg Ross - digitalMeg
 Julie Nowicki - Optavia Corporation
 Dara Solomon & Larry Yarbrough - iXL, Inc.
 Charlotte Schwendeman - Consultant

Flexibility-usability tradeoff






Flexibility-Usability Tradeoff

- Jack of all trades, master of none
- Better understanding needs enables specialization and *optimization* for common cases
- System evolution over time:
 - flexibility —> specialization

Navigating Design Space



- What are key decisions in interaction design?
- What alternatives are possible?
- What are tradeoffs between these alternatives?



Hierarchy of Design Decisions

- What are you (*re*)designing?
 - The width of the text input
 - The maximum length of a valid username
 - When in the signup process users enter their username
 - If the user must create a username when signing up
 - Whether users are anonymous or have a login
 - If users can interact with other users in your application



Picking the Right Level of Redesign

- Where are the user's pain points
- What are the underlying causes
- What would be the value to the user of addressing issue
- What do you have time to build (or change)



Activities and Tasks

- **Activity** - set of tasks performed together for a common goal
 - Go shopping
- **Task** - component of an activity, organized cohesive set of operations towards a single low-level goal
 - Drive to market
 - Find shopping basket
 - Find item in store
 - Pay for items



Activities and Tasks

- Activities are *hierarchical*
- High-level activities spawn other activities, spawn tasks
- Software supports tasks and activities
- Important to design for *activities*, not just tasks
 - Support whole activity seamlessly
 - Ensure interactions between tasks do not interfere

Example - iPod

- Supports entire activity of listening to music
 - discovering music
 - purchasing music
 - getting it into music player
 - developing playlists
 - sharing playlists
 - listening to music
 - ecosystem of external speakers and accessories





Example of a Design Process

- How do you get from let's make listening to music better to designing an iPod??
- Iterative design...
 - But what does that actually look like more concretely?
 - What insights into activity help inspire design?
 - How does watching users help lead to these insights?
 - How do insights translate into an actual real design?
 - How do know the new design is actually better?

5 Minute Break



Example





Domain: Debugging

- **Design goal:** how do we better support activity of debugging in large, complex codebases?
- Build a better debugging tool (?)
 - What should it do? How would it help?
 - Design a better watch window? Support new types of breakpoints?
 - What's really the key steps in debugging that lead users to struggle the most?

Domain: Debugging



Developers Ask Reachability Questions

Thomas D. LaToza
Institute for Software Research
School of Computer Science
Carnegie Mellon University
tlatoya@cs.cmu.edu

ABSTRACT

A reachability question is a search across feasible paths through a program for target statements matching search criteria. In three separate studies, we found that reachability questions are common and often time consuming to answer. In the first study, we observed 13 developers in the lab and found that half of the bugs inserted were associated with reachability questions. In the second study, 460 professional software developers reported questions that may be answered using reachability questions more than 9 times a day, and 82% rated one or more as at least hard to answer. In the third study, we observed 17 developers in the field and found that 9 of the 10 longest activities were with reachability questions. These findings suggest that understanding large, complex reachability questions is an important part of debugging.


Brad A. Myers
Human Computer
School of
Carnegie Mellon University

which in turn caused half of the reported bugs. Coordinating dependencies among different modules can be very challenging [5]. To better understand how developers understand codebases, we conducted three studies during coding tasks. Surprisingly, a large portion of developer's debugging activities were reachability questions. Surprisingly, all feasible paths were not explored during debugging.

Visualizing Call Graphs


Thomas D. LaToza Brad A. Myers
School of Computer Science
Carnegie Mellon University
Pittsburgh, PA USA
{tlatoya, bam}@cs.cmu.edu

about call graphs
This is often difficult
a single question
assumptions,
of





Coding Activities



Circle size: % of time

Edge thickness: % of transitions observed



Longest Activities: Control Flow

4 out of the 5 longest investigation activities

| Primary question | Time (m) | Related control flow question |
|--|----------|--|
| How is this data structure being mutated in this code? | 83 | Search downstream for writes to data structure |
| “Where [is] the code assuming that the tables are already there?” | 53 | Compare behaviors when tables are or are not loaded |
| How [does] application state change when <i>m</i> is called denoting startup completion? | 50 | Find field writes caused by <i>m</i> |
| “Is [there] another reason why <i>status</i> could be non-zero?” | 11 | Find statements through which values flow into status |

5 out of the 5 longest debugging activities

| | | |
|--|----|---|
| Where is method <i>m</i> generating an error? | 66 | Search downstream from <i>m</i> for error text |
| What resources are being acquired to cause this deadlock? | 51 | Search downstream for acquire method calls |
| “When they have this attribute, they must use it somewhere to generate the content, so where is it?” | 35 | Search downstream for reads of attribute |
| “What [is] the test doing which is different from what my app is doing?” | 30 | Compare test traces to app traces |
| How are these thread pools interacting? | 19 | Search downstream for calls into thread pools |



Longest Debugging Activities

Where is method *m* generating an error?

Rapidly found method *m* implementing command
Unsure *where* it generated error

Static call traversal

Statically traversed calls looking for something that would generate error

Debugger

Tried debugger

Grep

Did string *search* for error, found it, but many callers

Debugger


Stepped in debugger to find something relevant

Static Call Traversal

Statically *traversed* calls to explore


Debugger

Went back to *stepping* debugger to inspect values
Found the answer



Why was this Hard to Answer?

Hard to pick the control flow path that leads from starting point to target
Guess and check: which path leads to the target?





Why are Control Flow Questions Common?

Helps answer questions about:

Causality What does this do? What causes this to happen?

Ordering Does A happen before B?

Choice Does x always occur? In which situations does x occur?

When scattered across a codebase, finding statements to answer these questions can be hard.

lab observations

Defect-related false assumptions
& incorrectly answered questions
related to **control flow**

field observations

Primary questions from longest
investigation & debugging
activities related to **control flow**



Reachability Questions
(common characteristics of evidence sought)

lab observations

Defect-related false assumptions
& incorrectly answered questions
related to **control flow**

field observations

Primary questions from longest
investigation & debugging
activities related to **control flow**



Reachability Questions

(common characteristics of evidence sought)


A search along **feasible paths**
downstream or
upstream from a
statement for **target**
statements matching
search criteria

feasible paths


filter

compare

downstream



upstream




search criteria

identifier
statement type (field
write/read, library call)

feasible paths \cap **statements matching search criteria**

Reachability Question Example

A search along **feasible paths downstream** or **upstream** from a statement for **target statements** matching **search criteria**



feasible paths \cap statements matching search criteria



Longest Activities: Control Flow

4 out of the 5 longest investigation activities


| Primary question | Time (m) | Related control flow question |
|--|----------|--|
| How is this data structure being mutated in this code? | 83 | Search downstream for writes to data structure |
| “Where [is] the code assuming that the tables are already there?” | 53 | Compare behaviors when tables are or are not loaded |
| How [does] application state change when <i>m</i> is called denoting startup completion? | 50 | Find field writes caused by <i>m</i> |
| “Is [there] another reason why <i>status</i> could be non-zero?” | 11 | Find statements through which values flow into status |

5 out of the 5 longest debugging activities

| | | |
|--|----|---|
| Where is method <i>m</i> generating an error? | 66 | Search downstream from <i>m</i> for error text |
| What resources are being acquired to cause this deadlock? | 51 | Search downstream for acquire method calls |
| “When they have this attribute, they must use it somewhere to generate the content, so where is it?” | 35 | Search downstream for reads of attribute |
| “What [is] the test doing which is different from what my app is doing?” | 30 | Compare test traces to app traces |
| How are these thread pools interacting? | 19 | Search downstream for calls into thread pools |



- ▶ Developers can construct incorrect mental models of control flow, leading them to insert **defects**
- ▶ The longest investigation & debugging activities involved a single primary question about control flow
- ▶ Found evidence for an underlying cause of these difficulties
Challenges answering reachability questions



1 downstream from `JEditBuffer.getFoldLevel()`
[search for external calls](#)

```

2 public int getFoldLevel(int line) : 1463 - 1475
3
4     if (line < 0 || line >= lineMgr.getLineCount())
5         throw new ArrayIndexOutOfBoundsException(line);
6
7     if (foldHandler instanceof DummyFoldHandler)
8         return 0;
9
10    int firstInvalidFoldLevel = lineMgr.getFirstInvalidFoldLevel();
11    if (firstInvalidFoldLevel == -1 || line < firstInvalidFoldLevel) {
12        return lineMgr.getFoldLevel(line);
13    } else {
14        if (Debug.FOLD_DEBUG)
15            log.log(LogLevel.DEBUG, this, "Invalid fold levels from "
16                + firstInvalidFoldLevel + " to " + line);
17    }
18

```


Paper Prototype Study





- Built mockups of interface for task from lab study
- Asked 1 participant to complete lab study task with Eclipse & mockup of *Reacher*
 - Paper overlay of *Reacher* commands on monitor
 - Experimenter opened appropriate view
- Asked to think aloud, screen capture + audio recording



Study results

- Used *Reacher* to explore code, unable to complete task
- Barriers discovered
 - Wanted to see methods before or after, not on path to origin or destination
 - Switching between downstream and upstream confusing, particularly search cursor
 - Found horizontal orientation confusing, as unlike debugger call stacks
 - Wanted to know when a path might execute

Find Statements Matching Search Criteria



| Examples of observed reachability questions Reacher supports | Steps to use Reacher |
|--|--|
| What resources are being acquired to cause this deadlock? | Search downstream for each method which might acquire a resource, pinning results to keep them visible |
| When they have this attribute, they must use it somewhere to generate the content, so where is it? | Search downstream for a field read of the attribute |
| How are these thread pools interacting? | Search downstream for the thread pool class |
| How is data structure <i>struct</i> being mutated in this code (between <i>o</i> and <i>d</i>)? | Search downstream for <i>struct</i> class, scoping search to matching type names and searching for field writes. |
| How [does] application state change when <i>m</i> is called denoting startup completion? | Search downstream from <i>m</i> for all field writes |

Help Developers Understand Paths

Goal: help developers reason about control flow by summarizing statements along paths in **compact** visualization

Challenges:

control flow paths can be



complex

long

repetitive

developers get lost and disoriented navigating code

Approach:

visually encode properties of path


hide paths by default

coalesce similar paths

use visualization to support navigation



Example





Evaluation

Does REACHER enable developers to answer reachability questions faster or more successfully?

Method

12 developers

15 minutes to answer **reachability** question x 6

Eclipse only on 3 tasks

Eclipse w/ REACHER on 3 tasks

(order counterbalanced)

Tasks

Based on developer questions in lab study.


Example:

When a new view is created in `jEdit.newView(View)`, what messages, in what order, may be sent on the `EditBus` (`EditBus.send()`)?

Results

Developers with REACHER were **5.6** times more successful than those working with Eclipse only.

(not enough successful to compare time)



Task time includes only participants that succeeded.



More Results

Participants with *REACHER* used it to jump between methods.

“It seems pretty cool if you can navigate your way around a complex graph.”

When **not** using *REACHER*, participants often reported being lost and

“Where am I? I’m so lost.”

“These call stacks are horrible.”

“There was a call to it here somewhere, but I don’t remember the path.”

“I’m just too lost.”

Participants reported that they liked working with *REACHER*.

“I like it a lot. It seems like an easy way to navigate the code. And the view maps to more of how I think of the call hierarchy.”

“Reacher was my hero. ... It’s a lot more fun to use and look at.”

“You don’t have to think as much.”



Reflection on Design Process

- Started with a goal: make debugging in large, complex codebases better
- Observed users to build *insight* into what key challenge was
- Rather than address usability challenges of existing debugging tools, designed new way to debug
- Gathered evidence that it worked better

7 Minute Break





Acknowledgements

- Slides adapted from Dr. Thomas Latoza's SWE 632 course